	Application No.	Applicant(s)
Notice of Allowability	10/529 549	MILENIZPEDO POLAND
	10/528,648 Examiner	MUENZBERG, ROLAND Art Unit
	Ishwar (I. B.) Patel	2841
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed on Feb.27, 2007 and interview summary</u> .		
2. The allowed claim(s) is/are <u>11-14</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
		. ·
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	, ,
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ⊠ Interview Summary Paper No./Mail Dat	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛭 Examiner's Amendr	
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with David Safran (Reg. 27,997) on March 14, 2007.

The application has been amended as follows:

- (a) Cancel claims 16-19, withdrawn from consideration as a result of restriction requirement.
 - (b) Amend the abstract as below:

A rigid-flexible circuit board with two rigid areas and one flexible area, with a rigid individual layer which is copper-clad on one side, with an adhesive medium and with a copper foil, the adhesive medium having recesses in the flexible area. The rigid-flexible circuit board can be produced especially easily and economically in that at least in the rigid area there is no flexible individual layer, especially no polyimide film, between the adhesive medium and the copper foil.

2. The following is an examiner's statement of reasons for allowance:

After careful study of the pending rejected claims, the previously applied prior art to Kober (US Patent No. 5,144,534) and applicant's analysis presented on page 6 of the

response filed on February 27, 2007, the examiner concluded that the structure of Kober does not disclose the structure claimed by the applicant in the base claim 11. The structure of claims 11-14 is allowed over the prior art of record. To be specific the patentability resides in the limitations "wherein there is no flexible individual layer between the adhesive medium and the at least one copper foil in the rigid individual layer," "an insulating layer affixed directly to an inner side of the copper foil in the at least one flexible area of the rigid individual layer" and the adhesive medium has an opening in alignment with the flexible area of the rigid individual layer," in combination with other claimed limitations of the base claim 11.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ishwar (I. B.) Patel whose telephone number is (571) 272 1933. The examiner can normally be reached on M-F (8:30 - 5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean Reichard can be reached on (571) 272 1984. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/528,648 Page 4

Art Unit: 2841

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ibp March 15, 2007 Ishwar (I. B.) Patel Primary Examiner